

ROMA Horizon ROMA Perfect PLANO TOM GORC® Top

WE SET new boundaries

ROMA Diamond ROMA Perfect PLANO MOGIELICA

GORC® de Luxe MOONFLOR GORC®

GORC® Top ROMA Perfect RIO ROMA Classic KOMBO®

KOMBO® MOGIELICA ROMA Mega **STONE**

we set NEW boundaries

GORC® de Luxe MOONFLOR GORC® Peak ROMA Perfect

TOM ROMA Perfect RIO ROMA Classic RIO

GORC® de Luxe MOONFLOR GORC® Peak

GORC® Top ROMA Perfect RIO ROMA Classic **STONE**

MOONFLOR MOGIELICA ROMA Mega ROMA Diamond

ROMA Horizon ROMA Perfect PLANO

RIO MOGIELICA ROMA Mega GORC® Peak PLANO

MOGIELICA KOMBO®STONE RIO ROMA Mega ROMA Nova

we set new BOUNDARIES

GORC® de Luxe MOONFLOR GORC® Peak ROMA Nova

GORC® Top ROMA Perfect RIO ROMA Classic KOMBO®

KOMBO® ROMA Horizon

NEWS

Check out what's new
on our website: www.joniec.eu




TABLE OF CONTENTS

ABOUT US	4
MODULAR FENCES	6
ROMA Mega	8
ROMA Nova	16
ROMA Horizon	22
ROMA Perfect	32
ROMA Diamond	40
ROMA Classic	46
SPLIT FENCES	54
GORC [®] de Luxe GL22	56
GORC [®] de Luxe GL38	64
GORC [®] Peak	74
GORC [®] Top	80
CONCRETE ELEMENTS / SPANS	86
KOMBO [®]	88
ELEVATION	96
TOM	98
PIANO	102
GARDEN ARCHITECTURE	106
RIO slope blocks	108
MOGIELICA palisades	112
STONE palisades	116
MOONFLOR, PROFLO R planters	120
FOUNDATIONS	124
PRECAST FOUNDATIONS	126
CONCRETE CONNECTORS	130
PAVEMENTS	134
SPLIT BRICK	136
SPLIT PAVEMENT	140
GATES, WICKETS, FENCE SPANS	144
EQUIPMENT FOR FENCING SYSTEMS	152
LETTER BOXES NEW PRODUCTS	154
LAMPS NEW PRODUCTS	158
CONCRETE CHEMICALS NEW PRODUCTS	164
FENCE ASSEMBLY MANUAL	168

ABOUT US

THE LEADING MANUFACTURER

The JONIEC® company is a leading Polish manufacturer of concrete fences and elements of small garden architecture. The beginnings of our activity date back to 1991, when we started the production of split facade tiles under the name of JONIEC®.




30 YEARS ON THE MARKET

For 30 years, we have been developing our own innovative projects, implementing them into production. Innovation and modernity are crucial for us. During this time, we have specialized in the production of such products as: split fences, modular concrete fences, prefabricated foundations, planters, palisades, facade blocks. All our products meet the standards necessary to maintain the leading position on the very competitive and demanding European market.

TECHNOLOGIES

We are constantly looking for new, effective and innovative solutions. Thanks to the optimization of production, we obtain products of excellent quality. We care about maintaining the highest standards in both production and customer service.

We set **new boundaries**



SELECTED AWARDS AND DISTINCTIONS



ease of assembly,
multitude of **arrangement ideas**

MODU
LAR





MODULAR FENCES

| **ROMA Mega**
smooth fence

| **ROMA Nova**
scratch fence

| **ROMA Horizon**
smooth fence

| **ROMA Perfect**
scratch fence

| **ROMA Diamond**
multigrain scratch fence

| **ROMA Classic**
multigrain fence



FEN
CES





SMOOTH FENCE

ROMA Mega



The ROMA Mega fencing system has been designed for customers looking for exclusive modern forms. Large concrete modular blocks facilitate the rapid erection of solid structures. The visual effect achieved is a beautiful fence that inspires respect.

SYSTEM ELEMENTS



RM19

post block / wall block
ht. 28,8 cm / lgth. 75,6 cm
/ w. 19,5 cm



RM28

post block / wall block
ht. 28,8 cm / lgth. 75,6 cm
/ w. 28 cm



CRM19

post cap / wall cap
ht. 7,2 cm / lgth. 75,6 cm
/ w. 19,5 cm




CRM28

post cap / wall cap
ht. 7,2 cm / lgth. 75,6 cm
/ w. 28 cm

COLOURS OF FENCES




galena




gabro




lidyť



aragon



turmalin



snow


COLOURS OF CAPS



galena



gabro




lidyť



aragon




turmalin



snow

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USEDVIBRO
TECHNOLOGYCALIBRATION
TECHNOLOGYMULTI
COLOR®CERTIFIED
PRODUCTPERFECT
HEIGHTMASS
DYEDRESISTANT TO WEATHER
CONDITIONS**LOGISTIC INFORMATION****ASSEMBLY INSTRUCTIONS**

Read the assembly
Instructions of the fence.
Scan the QR code.



	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	RM19	45,5	18
2.	RM28	55	12
3.	CRM19	23,5	48
4.	CRM28	33,5	32



aragon | aragon cap



snow | snow cap



turmalin | turmalin cap



galena | galena cap



gabro | gabro cap



lidyt | lidyt cap



gabro | gabro cap



galena | galena cap





SCRATCH FENCE

ROMA Nova

The ROMA Nova fence is a modern system composed of concrete blocks. The appearance and dimensions of the blocks are innovative and different from most fencing systems available on the market. This makes the fence stand out positively and gives the property a unique character. The colors of the ROMA Nova fence perfectly harmonize with the fashionable grey, which still reigns in modern design.

SYSTEM ELEMENTS



RN19

post block / wall block
double-sided scratch

ht. 14,4 cm / lgth. 75,6 cm
/ w. 19,5 cm



CRN19


post cap / wall cap
double-sided scratch

ht. 7,2 cm / lgth. 75,6 cm
/ w. 19,5 cm

COLOURS OF FENCES



sherlite



uran

COLOURS OF CAPS




szerlit




uran

Actual colors may vary from the colors on the photos.


TECHNOLOGIES USED




VIBRO TECHNOLOGY




PERFECT HEIGHT




MULTI COLOR®




RESISTANT TO WEATHER CONDITIONS



CERTIFIED PRODUCT




MASS DYED



SCRATCH TECHNOLOGY

Original product facade using scratch technology




LOGISTIC INFORMATION

ASSEMBLY INSTRUCTIONS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	RN19	23	42
2.	CRN19	23	48

Read the assembly Instructions of the fence. Scan the QR code.





sherlite | sherlite cap



uran | uran cap



SMOOTH FENCE

ROMA Horizon



ROMA Horizon is a product that is a response to the demand of customers seeking simple forms. ROMA Horizon is a system of fence blocks whose the biggest advantage is simple and quick assembly. You can choose colours that harmonize with elevations in cold and in warm colour tones. Intense blends with teeth give the surroundings unique character.

SYSTEM ELEMENTS



BH20

post block / wall block
ht. 20 cm / lgth. 50,4 cm
/ w. 20 cm



BH28

post block / wall block
ht. 20 cm / lgth. 50,4 cm
/ w. 28 cm



CH20

post cap / wall cap
wys. 5 cm / dł. 50,4 cm
/ szer. 20 cm




CH28

post cap / wall cap
ht. 5 cm / lgth. 50,4 cm
/ w. 28 cm


COLOURS OF FENCES




pyrite




marengo




onyx




nero**




magnetite**



amber



graphite




white

COLOURS OF CAPS



pyrite




marengo



onyx



nero**




magnetite**



amber



graphite




white

** color available only for BH20 blocks and CH20 caps
Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED

VIBRO
TECHNOLOGY

 CALIBRATION
TECHNOLOGY
MASS
DYEDCERTIFIED
PRODUCTPERFECT
HEIGHTMULTI
COLOR®RESISTANT TO WEATHER
CONDITIONS

LOGISTIC INFORMATION

ASSEMBLY INSTRUCTIONS

Read the assembly
Instructions of the fence.
Scan the QR code.



	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.)
1.	BH20	23,3	60 (100x120)* - standard packing 48 (80x120)* - packing for courier shipments
2.	BH28	27,5	40 (100x120)* - standard packing 36 (80x120)* - packing for courier shipments
3.	CH20	11,3	96 (80x120)* - standard and courier packaging
4.	CH28	16,7	72 (80x120)* - standard and courier packaging

*pallet dimensions in cm



graphite | graphite cap



onyx | onyx cap



pyrite | pyrite cap




nero | nero cap



white | white cap



amber | amber cap



magnetyt | magnetyt cap



marengo | marengo cap





SCRATCH FENCE

ROMA Perfect



ROMA Perfect is a fence system that harmonize perfectly with the modern architecture of private and public properties. Thanks to SCRATCH technology the colours of the fence are exceptionally subtle and blending with the surroundings. Simple design and easiness of assembly are the assets that will be appreciated by the owners of the property as well as the contractors. The fence system has been awarded with the Golden Medal MTP 2020.

SYSTEM ELEMENTS



RP20


post block / wall block
four-sided scratch
ht. 20 cm / lgth. 50,4 cm
/ w. 20 cm




CRP20

post cap / wall cap
four-sided scratch
ht. 5 cm / lgth. 50,4 cm
/ w. 20 cm

COLOURS OF FENCES



diorite



morion




milos




alba

COLOURS OF CAPS



diorite



morion











milos




alba

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED

 VIBRO TECHNOLOGY	 CALIBRATION TECHNOLOGY	 MASS DYED
 CERTIFIED PRODUCT	 PERFECT HEIGHT	 MULTI COLOR®
 SCRATCH TECHNOLOGY	 RESISTANT TO WEATHER CONDITIONS	



The effect of aging the product after using scratch technology

LOGISTIC INFORMATION

ASSEMBLY INSTRUCTIONS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	RP20	22,5	48
2.	CRP20	11	96

Read the assembly Instructions of the fence. Scan the QR code.





morion | morion cap



diorite | diorite cap



alba | alba cap



milos | milos cap





OGRODZENIE MULTIGRAIN SCRATCH

ROMA Diamond

ROMA Diamond is a system of modular fencing blocks distinguished by the characteristic scratched surface texture. Thanks to this, the fence stands out and the property takes on a unique look. Modular blocks of the ROMA Diamond system allow you to build a variety of fencing variants that match the conditions of a given plot and its surroundings.

SYSTEM ELEMENTS



RD20


post block / wall block
four-sided scratch
ht. 20 cm / lgth. 50,4 cm
/ w. 20 cm



CRD20


post cap / wall cap
four-sided scratch
ht. 5 cm / lgth. 50,4 cm
/ w. 20 cm

COLOURS OF FENCES



halit

COLOURS OF CAPS




halit

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED

 VIBRO TECHNOLOGY	 MULTIGRAIN TECHNOLOGY	 MASS DYED
 CERTIFIED PRODUCT	 SCRATCH TECHNOLOGY	
 RESISTANT TO WEATHER CONDITIONS		

The effect of aging the product after using scratch technology




LOGISTIC INFORMATION

ASSEMBLY INSTRUCTIONS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	RD20	22	48
2.	CRD20	11,3	96

Read the assembly Instructions of the fence. Scan the QR code.





halit | halit cap







MULTIGRAIN FENCE

ROMA Classic

ROMA Classic fence system consists of simple and geometrical elements. This fence system will be appreciated by those who value minimalism and delicate asceticism in design. With the blocks of ROMA Classic system you can build classic fences with low foundation and slim posts as well as full walls which enable complete separation of property from burdensome surroundings. The fence system has been awarded with the Golden Medal MTP 2018.

SYSTEM ELEMENTS



BRSM

post block / wall block
ht. 20 cm / lgth. 50,4 cm
/ w. 20 cm



BRDM

post block / wall block
ht. 20 cm / lgth. 36 cm
/ w. 36 cm



CRSM

post cap / wall cap
ht. 5 cm / lgth. 50,4 cm
/ w. 20 cm




CRDM

post cap / wall cap
ht. 5 cm / lgth. 36 cm
/ w. 36 cm


COLOURS OF FENCES



onyx



gagat



topaz




white


COLOURS OF CAPS




onyx



gagat




topaz




white

Actual colors may vary from the colors on the photos.


TECHNOLOGIES USED




VIBRO TECHNOLOGY




MULTIGRAIN TECHNOLOGY




MULTI COLOR®




MASS DYED



CERTIFIED PRODUCT



RESISTANT TO WEATHER CONDITIONS



LOGISTIC INFORMATION

ASSEMBLY INSTRUCTIONS

Read the assembly Instructions of the fence. Scan the QR code.



	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.)
1.	BRSM (onyx, gagat, topaz)	22,5	48 (80x120)* - standard and courier packaging
	BRSM (white)	22,5	60 (100x120)* - standard packing 48 (80x120)* - standard and courier packaging
2.	BRDM	24	36 (80x120)* - standard and courier packaging
3.	CRSM	11,3	96 (80x120)* - standard and courier packaging
4.	CRDM	15,5	78 (80x120)* - standard and courier packaging

*pallet dimensions in cm



gagat | gagat cap



onyx | onyx cap



topaz | topaz cap



white | white cap

unique character,
real stone look

SPL
IT





SPLIT FENCES

| **GORC[®]** de Luxe GL22
split fence

| **GORC[®]** de Luxe GL38
split fence

| **GORC[®]** Peak
split fence

| **GORC[®]** Top
split scratch fence

FEN
CES





SPLIT FENCE

GORC[®] de Luxe GL22

GORC[®] fencing is celebrating its 20th birthday! The split block system, which was developed entirely by JONIEC[®]'s staff of professionals, premiered in 2003. Since its inception, the product has enjoyed unflagging popularity. This is due to the timeless and universal design of the fence, which can be matched with houses of classical architecture, but will also work well as the surroundings of modern estates.

SYSTEM ELEMENTS GL22



GU+GA

post block
ht. 16 cm / lgth. 38 cm
/ w. 22 cm



GM

wall block
ht. 16 cm / lgth. 38 cm
/ w. 22 cm




GP

wall element
ht. 16 cm / lgth. 38 cm
/ w. 4,5 cm



ŁSON

connector of GP tiles
ht. 4,5 cm / lgth. 11,1 cm
/ w. 5,7 cm



CSBNR

smooth cap
ht. 6 cm / lgth. 45 cm
/ w. 28 cm



CBG

smooth cap
ht. 6 cm / lgth. 24 cm
/ w. 28 cm



CPGS

flat cap with four split side
edges
ht. 6 cm / lgth. 43 cm
/ w. 27 cm



CPGM

split cap with two split side
edges
ht. 6 cm / lgth. 50 cm
/ w. 27 cm

COLOURS OF SMOOTH CAPS



black




sand*




light brown*



dark brown*




cream




yellow*


COLOURS OF SPLIT CAPS



black



sand




alaska



bronzite




goethite



pyrite



onyx



vera



silver

* while stocks last
Actual colors may vary from the colors on the photos.

COLOURS OF FENCES



black



sand



alaska



bronzite



goethite



pyrite



onyx





vera




silver

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED

 VIBRO TECHNOLOGY	 MULTI COLOR®
 SPLITTING TECHNOLOGY	 CERTIFIED PRODUCT
 RESISTANT TO WEATHER CONDITIONS	 MASS DYED



LOGISTIC INFORMATION

BLOCKS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	GU+GA	18	70
2.	GM	18	70
3.	GP	6,3	170

CAPS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	CSBNR	14	38
2.	CBG	7,1	126
3.	CPGS	16	72
4.	CPGM	18	66

ASSEMBLY INSTRUCTIONS

Read the assembly Instructions of the fence.
Scan the QR code.






goethite | goethite cap



onyx | steel cap



pyrite | cream cap



vera | light brown cap



bronzite | bronzite cap





SPLIT FENCE

GORC[®] de Luxe GL38

Split fence GORC[®] is JONIEC[®] Company's original idea. Special split surface and clean-cut horizontal and vertical joints of split blocks create unique charm to posts and foundations. The GORC[®] fence system is an elegant and impressive showcase of the house. The product has been awarded 3 times with the Certificate Quality of the Year and HOME ZONE Certificate Quality and Reliability.

SYSTEM ELEMENTS GL38



GUD+GAD

post block

ht. 16 cm / lgth. 38 cm
/ w. 38 cm



GMD

wall block

ht. 16 cm / lgth. 38 cm
/ w. 38 cm



GP

wall element

ht. 16 cm / lgth. 38 cm
/ w. 4,5 cm



ŁSOD

connector of GP tiles

ht. 4,5 cm / lgth. 27 cm
/ w. 5,5 cm



CSDR

smooth cap

ht. 7 cm / lgth. 47 cm
/ w. 47 cm



CPDD

smooth cap

ht. 7 cm / lgth. 47 cm
/ w. 47 cm



CPGSD

flat cap with four split side edges

ht. 6 cm / lgth. 43 cm
/ w. 43 cm



CPGMD

flat cap with two split side edges

ht. 6 cm / lgth. 50 cm
/ w. 43 cm

COLOURS OF SMOOTH CAPS



black




sand*




light brown*



dark brown*




cream



yellow*


COLOURS OF SPLIT CAPS



black



sand




alaska




bronzite




goethite



pyrite



onyx



vera




silver

* while stocks last
Actual colors may vary from the colors on the photos.

COLOURS OF FENCES



black




sand




alaska




bronzite




goethite



pyrite



onyx







vera




silver

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED

 VIBRO TECHNOLOGY	 MULTI COLOR®
 SPLITTING TECHNOLOGY	 CERTIFIED PRODUCT
 RESISTANT TO WEATHER CONDITIONS	 MASS DYED



LOGISTIC INFORMATION

BLOCKS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	GUD+GAD	24,7	42
2.	GMD	24,7	42
3.	GP	6,3	170

CAPS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	CSDR	24,9	24
2.	CPDD	26,9	26
3.	CPGSD	25,4	48
4.	CPGMD	29,2	40

ASSEMBLY INSTRUCTIONS

Read the assembly Instructions of the fence.
Scan the QR code.






onyx | black cap



silver | silver cap



pyrite | steel cap



alaska | steel cap



onyx | onyx cap



sand | sand cap





SPLIT FENCE

GORC[®] Peak


The GORC[®] Peak fencing system is a new version of the iconic split fence. It is a combination of proven classics with fashionable large block formats. GORC[®] Peak is distinguished by a unique composition of texture and color. The dimensions of the system blocks allow you to design many compositions that adapt to the conditions of a given plot and the environment.

SYSTEM ELEMENTS



GPSM

post block
ht. 18 cm / lgth. 75,6 cm
/ w. 19,5 cm



GPSD

post block
ht. 18 cm / lgth. 75,6 cm
/ w. 28 cm



GPMM

wall block
ht. 18 cm / lgth. 75,6 cm
/ w. 19,5 cm



GPMMP

wall element
ht. 18 cm / lgth. 75,6 cm
/ w. 9,7 cm



CPGPSM

cap split on three sides
ht. 6 cm / lgth. 40,3 cm
/ w. 24,5 cm



CPGPSD

cap split on three sides
ht. 6 cm / lgth. 40,3 cm
/ w. 33 cm



CPGPMM

double-sided split cap
ht. 6 cm / lgth. 50 cm
/ w. 24,5 cm

COLOURS OF FENCES



onyx



pyrite




dark




wanad

COLOURS OF CAPS



onyx



pyrite




dark



wanad

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



LOGISTIC INFORMATION

BLOCKS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	GPSM	35,3	36
2.	GPSD	42	24
3.	GPMM	33	36
4.	GPMP	24	44

WEIGHT

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	CPGPSM	14,1	80
2.	CPGPSD	19	60
3.	CPGPMM	17,4	66

ASSEMBLY INSTRUCTIONS




Read the assembly Instructions of the fence.
Scan the QR code.



wanad | wanad cap



pyrite | pyrite cap



onyx | onyx cap



dark | dark cap

effective alternative

to steel, aluminum and wooden spans

CON
CRETE





CONCRETE ELEMENTS / SPANS

| **KOMBO®**

ELE
MENTS





white



CONCRETE ELEMENTS / SPANS

KOMBO[®]

KOMBO[®] concrete elements / spans are an alternative to metal, aluminum and wooden spans. KOMBO[®] elements have a variety of shapes and sizes, which allows you to combine them in many ways, obtaining a very attractive appearance of the fence. Concrete shapes can also be used to create unusual architectural solutions in buildings (railings, balconies, terraces, inserts in walls) and in gardens (walls, edges).

SYSTEM ELEMENTS



KO_TIDE

concrete element

ht. 10 cm / lgth. 50,4 cm
/ w. 10 cm



KO_SEA

concrete element

ht. 10 cm / lgth. 100,8 cm
/ w. 10 cm



DKO

concrete element


ht. 5 cm / lgth. 50,4 cm
/ w. 14 cm

NEW


Also available in the offer **GATES AND WICKETS KOMBO[®]**

Full list of products available on our website. Scan the QR code.



COLOURS OF FENCES

grey



graphite



white

COLOURS OF CAPS

grey



graphite



white

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



VIBRO
TECHNOLOGY




RESISTANT TO WEATHER
CONDITIONS



MASS
DYED



CERTIFIED
PRODUCT



LOGISTIC INFORMATION

ASSEMBLY INSTRUCTIONS

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	KO_TIDE	9,4	128
2.	KO_SEA	19	64
3.	DKO	8,2	100

Read the manual assembly and catalogue arrangement. Scan the QR code.






graphite



graphite



white



graphite

unique texture, aesthetic and stylish
appearance of the facade

ELEVA
TION





ELEVATION

TOM

elevation blocks

PIANO

elevation tiles

TILES BLOCKS







ELEVATION BLOCKS

TOM

TOM elevation blocks can be used to build walls of different types. They are ideal for residential constructions (single family houses, multi-family houses, garages) as well as for industrial constructions (office facades, public buildings' walls). The characteristic texture of the surface gives the building individual and unique look.

SYSTEM ELEMENTS



T10

block with one split surface

ht. 19 cm / lgth. 39 cm
/ w. 9,5 cm



T10N

corner split block


ht. 19 cm / lgth. 29,5 cm
/ w. 9,5 cm



T20

block with one split surface

ht. 19 cm / lgth. 39 cm
/ w. 19,5 cm



T20N


corner split block

ht. 19 cm / lgth. 39 cm
/ w. 19,5 cm


COLOURS OF BLOCKS



steel




pyrite



vera



onyx



citrine*

*while stocks last

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED




LOGISTIC INFORMATION

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	T10	12	120
2.	T10N	9,63	120
3.	T20	18	60
4.	T20N	19	60





bronzite



ELEVATION TILES

PIANO

Elevation and ornamental tiles PIANO are perfect for exterior and interior covers of walls, chimney, fireplaces, fence walls etc. They are solid and durable and at the same time aesthetic and stylish. Long term durability of the PIANO tiles cuts down the costs of necessary regular painting and renovation of the walls.

ELEMENT




PP


elevation tile

ht. 8 cm / lgth. 38 cm
/ w. 2,5 cm


COLOURS OF TILES




pyrite



alaska



black



bronzite

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



LOGISTIC INFORMATION

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	PP	13,2/package	90 packages (1 package - 8 pcs., 1 package - 0.24 m2)



pyrite

excellent performance
of its function

GAR
DEN





GARDEN ARCHITECTURE

RIO

slope blocks

MOGIELICA

split palisades

STONE

split palisades

MOONFLOR, PROFLOR

planters

ARCHI
TECTURE





SLOPE BLOCKS

RIO

RIO slope blocks are a perfect solution where you need to strengthen scarps, banks or hillsides. Trapeze shaped blocks with a split facing can be arranged in a number of construction lines: straight, round or wavy. They can also be used in garden architecture as an ornamental element to build blooming sides, flowerbeds, flowerbed or lawn edging.

SYSTEM ELEMENTS



RIO10

slope block
ht. 10 cm / lgth. 45 cm
/ w. 28 cm



RIO20

slope block
ht. 20 cm / lgth. 45 cm
/ w. 28 cm



CR

flat cap with one split
surface edge
ht. 6,5 cm / lgth. 45 cm
/ w. 28 cm

COLOURS OF BLOCKS



pyrite




onyx

COLOURS OF CAPS



pyrite



onyx

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED

-  **VIBRO TECHNOLOGY**
-  **MULTI COLOR®**
-  **SPLITTING TECHNOLOGY**
-  **CERTIFIED PRODUCT**
-  **RESISTANT TO WEATHER CONDITIONS**
-  **MASS DYED**

LOGISTIC INFORMATION

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	RIO10	16,3	80
2.	RIO20	32,1	40
3.	CR	17,7	54



pyrite | pyrite cap





PALISADES

MOGIELICA

Palisades are elements of small garden architecture which help us subtly arrange surroundings. They are decorative elements that can enhance various landforms. They can be used to strengthen the slides or to build multi-leveled terraces. They are perfect for lawn edges, driveways, car parks and flowerbeds.

ELEMENTS



20MN

split palisade
ht. 20 cm / lgth. 10 cm
/ w. 9 cm



30MN

split palisade
ht. 30 cm / lgth. 10 cm
/ w. 9 cm



56MN


split palisade
ht. 56 cm / lgth. 10 cm
/ w. 9 cm




60MP

split palisade
ht. 60 cm / lgth. 10 cm
/ w. 9 cm


COLOURS MOGIELICA




sand




black




vera



pyrite




bronzite



onyx

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



LOGISTIC INFORMATION

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	20MN	4,1	288
2.	30MN	6,1	192
3.	56MN	11	96
4.	60MP	12,25	96







PALISADES

STONE

STONE palisades are a decorative element that gives a wide range of arrangement possibilities for garden surfaces. Their split surface perfectly harmonizes with plants and architecture. They are used for edging lawns, driveways, car parks and flowerbeds.

ELEMENTS



PL19

split palisade
ht. 19 cm / lgth. 15,1 cm
/ w. 6 cm



PL34

split palisade
ht. 34,5 cm / lgth. 15,1 cm
/ w. 6 cm



PL50

split palisade
ht. 50 cm / lgth. 15,1 cm
/ w. 6 cm



PLL

split palisade
ht. 32,5 cm / lgth. 13,5 cm
/ w. 5 cm



PLM

split palisade
ht. 34,5 cm / lgth. 7,1 cm
/ w. 6 cm



PL38

concrete edging
ht. 15,1 cm / lgth. 38 cm
/ w. 6 cm



PL37

split palisade
ht. 37,5 cm / lgth. 17,3 cm
/ w. 9,7 cm



PL71

split palisade
ht. 70,9 cm / lgth. 17,3 cm
/ w. 9,7 cm



PL75

split palisade
ht. 17,3 cm / lgth. 74,9 cm
/ w. 9,7 cm

COLOURS




sand*



onyx*



pyrite*



black*



goethite*



silver*



bronzite*



vera*



alaska*




onyx**



pyrite**



dark**



wanad**

* while stocks last

** color available only for palisades PL37, PL71, PL75.

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



LOGISTIC INFORMATION

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	PL19	4	288
2.	PL34	7	180
3.	PL50	9	120
4.	PLL	5,25	220
5.	PLM	3,5	324
6.	PL38	7,5	170
7.	PL37	13	88
8.	PL71	24,7	44
9.	PL75	26	44



onyx





PLANTERS

MOONFLOR, PROFLOR

Garden planters can be a great decoration of our garden and terrace. Just like garden pots, they can be used to create various flower arrangements. You can grow a variety of plants in them: blooming flowers, green plants, perennials and herbs. The interlocking profiles of the planters ensure a stable horizontal joining connection, which makes it possible to use the lawns also for the construction of a concrete external fence or other structure used to diversify the area.

ELEMENTS



DM

planters

ht. 25 cm / lgth. 40 cm
/ w. 30 cm



DMP

planters

ht. 20 cm / lgth. 30 cm
/ w. 25 cm



DK40

planters

ht. 20 cm / lgth. 40,3 cm
/ w. 40,3 cm


COLOUR




grey




red



graphite




lava**



onyx**

** color available only for DMP planters
Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



LOGISTIC INFORMATION


	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	DM	25	40
2.	DMP	12	72
3.	Dk40	24,8	36



red

compatible with most panels
available on the market

PRE CAST





PRECAST FOUNDATIONS

| **BOARDS** concrete

| **CONNECTORS** concrete

FOUNDATIONS







PRECAST FOUNDATIONS

BOARDS concrete

Using prefabricated concrete boards to build a fence is a perfect way to significant reduction of time and cost of the construction. Concrete boards have sizes that are compatible with the most of metal, wood fence panels available on the market. The concrete boards can also be used to build metal net fence.

ELEMENTS



DX20/249

concrete board
ht. 20 cm / lgth. 249 cm
/ w. 5,5 cm



DX30/249

concrete board
ht. 30 cm / lgth. 249 cm
/ w. 5,5 cm



DOPL25/247

concrete board
ht. 25 cm / lgth. 247 cm
/ w. 5,5 cm



DOX20/200

concrete board
ht. 20 cm / lgth. 200 cm
/ w. 5,5 cm



DOX20/247

concrete board
ht. 20 cm / lgth. 247 cm
/ w. 5,8 cm

COLOUR



grey

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



VIBRO
TECHNOLOGY



CERTIFIED
PRODUCT



RESISTANT TO WEATHER
CONDITIONS

LOGISTIC INFORMATION

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	DX20/249	61	28
2.	DX30/249	92	13
3.	DOPL25/247	55	26
4.	DOX20/200	32	39
5.	DOX20/247	43	39



grey



grey





PRECAST FOUNDATIONS

CONNECTORS concrete

Concrete connectors are used for fixing concrete boards into foundations of panel or wire fences. In-between connectors are used at straight parts and corner connectors are used in the corners. The height of the connectors match all our concrete boards.

ELEMENTS



ŁDP20

straight connector
ht. 20 cm / lgth. 22 cm
/ w. 16,5 cm



ŁDN20

corner connector
ht. 20 cm / lgth. 22 cm
/ w. 22 cm



ŁDP25

straight connector
ht. 25 cm / lgth. 22 cm
/ w. 16,5 cm



ŁDN25

corner connector
ht. 25 cm / lgth. 22 cm
/ w. 22 cm



ŁDP30

straight connector
ht. 30 cm / lgth. 22 cm
/ w. 16,5 cm



ŁDN30

corner connector
ht. 30 cm / lgth. 22 cm
/ w. 22 cm

COLOUR



grey

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



VIBRO
TECHNOLOGY



CERTIFIED
PRODUCT



RESISTANT TO WEATHER
CONDITIONS

LOGISTIC INFORMATION

	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	ŁDP20	10,3	120
2.	ŁDN20	14,2	75
3.	ŁDP25	12,4	96
4.	ŁDN25	18,6	60
5.	ŁDP30	14,6	72
6.	ŁDN30	21,6	45
7.	SD	64	27



grey



grey



grey

creativity and good ideas
guarantee a unique effect

SP
LIT





PAVEMENTS

| split **BRICK**

| split **PAVEMENT**



PAVE
MENT



pyrite



PAVEMENTS

Split **BRICK**

Split brick is a material that can be used to build aesthetic garden pavements and pavements around the houses and garages. It's a product that can be used to build stairs of a terrace, small lanes and sites. Palette of tones enables to match the colour of the fence, elevation or other elements of premises. Palette of colours consists of unicolours (sand, black) as well as blends MULTICOLOR® (pyrite, onyx, vera, bronzite, goethite). Various colours of brick enable to create unique visual compositions. The space can be arranged with brick of the same size to create classic calm look or you can mix brick of various sizes to create an exceptional unique effect.

ELEMENTS



KOST

split brick
ht. 3,5 cm / lgth. 15,1 cm
/ w. 6 cm



KOST

split brick
ht. 3,5 cm / lgth. 7,1 cm
/ w. 6 cm



KOST

split brick
ht. 3,5 cm / lgth. 13,5 cm
/ w. 5 cm



KOST

split brick
ht. 3,5 cm / lgth. 9 cm
/ w. 10 cm



KOST


split brick
ht. 6 cm / lgth. 5,5 cm
/ w. 6 cm



KOST

split brick
ht. 4 cm / lgth. 17,3 cm
/ w. 9,7 cm


COLOUR




pyrite*




sand*



onyx*




black*



goethite*



silver*



vera*



bronzite*

COLORS FOR ITEM NO. 6



onyx*



pyrite*



dark*




wanad*

* while stocks last

Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



LOGISTIC INFORMATION

	CODE	WEIGHT (kg)
1.	KOST	1 big bag - 1 ton





pyrite



PAVEMENTS

Split PAVEMENT

Split pavement is a great alternative to traditional cobblestones. Non-standard tile sizes make garden paths, pavements or small garden squares built out of them obtain an original look. The material from which the split pavement tiles are made is concrete colored in mass, which means that the color does not wipe over time, and the whole retains its original aesthetics even with slight damage.

ELEMENTS




BRUK38


split pavements

ht. 6 cm / lgth. 38 cm
/ w. 15,1 cm


COLOUR




pyrite




alaska*




onyx*




black*




vera*



sand*



bronzite*




goethite*



silver*

* while stocks last
Actual colors may vary from the colors on the photos.

TECHNOLOGIES USED



LOGISTIC INFORMATION


	CODE	WEIGHT (kg)	QUANTITY ON PALLET (pcs.) The quantities given are for 80x120cm pallets
1.	BRUK38	7,5	170



alaska

| durable and modern
 culmination of the investment


FENCE





STEEL, ALUMINIUM,
GABION


| **GATES, WICKETS, FENCE SPANS**



PA
NELS



panel VERTICAL



STEEL, ALUMINIUM, GABION


GATES, WICKETS, FENCE SPANS

In our company, we try to provide the customer with a comprehensive offer and all the necessary elements needed to build an elegant and modern fence. Our offer includes a wide selection of gates, wickets and fencing spans - both steel and aluminum. We invite you to check our full offer at www.joniec.pl.

PRODUCTS

Product list available on our website. Scan the QR code.

System example



COLOUR

All colors from the RAL palette available.

NEW

AUTOMATIC GATE - GATE DRIVE

Full list of products available on our website. Scan the QR code.



FENCE PANELS



panel LUCCA



panel GRADIO | GRADIO gate

FENCE PANELS



panel HORIZONTAL



a subtle way to decorate your
home, garden, fence

FEN
CING



EQUIPMENT FOR FENCING SYSTEMS

| **LETTERBOXES** **NEW PRODUCTS**

| **LAMPS** **NEW PRODUCTS**



SYS
TEMS



letterbox SMVD



EQUIPMENT FOR FENCING SYSTEMS

LETTERBOXES

The letterboxes are made of non-corrosive brushed steel and are the product for years to last. Built-in letter boxes give a unique aesthetic effect – on the fence we can only see a small elegant panel. The letter boxes are through which gives an easy access to correspondence from the side of the house. Additional facility can be fitted such as a bell or intercom. Range of colours enables to match every fence.

PRODUCTS

The full list of products is available on our website. Scan the QR code.

NEW PRODUCTS



small letterbox - basic model
with decorative frame and cover



small letterbox - model with video
intercom, touch keyboard,
decorative frame and cover



large letterbox - model
with AHD / WIFI
and cover



small letterbox - model
with AHD / WIFI
and cover



small letterbox - model
with AHD / WIFI, decorative frame
and cover

COLORS

Models with IP equipment and personalized are available in inox color, other models in selected colors from the RAL palette: RAL 7021, RAL 8019, RAL 7016, RAL 9005, RAL 7048.



letterbox SMDA



letterbox SMZ





EQUIPMENT FOR FENCING SYSTEMS

LAMPS

Lighting in a subtle way can change a home, garden and fence. In our offer you will find a wide selection of lighting adapted in style and functionality to the fences in our assortment. We have wall, facade, fence and wall lamps. All lamps are made of the highest quality materials, which guarantees their reliability and solidity.

PRODUCTS

The full list of products is available on our website. Scan the QR code.



Lamp LED BLOCK

NEW MODEL



Lamp LED BLOCK
ADDRESSED

NEW MODEL



Lamp LED BLOCK GORC®

NEW PRODUCTS

MULTIMEDIA - POST WICKET ROOF



multimedia - post



wicket roof



lamp LED BLOCK



NEW



multimedia - post

NEW



lamp LED BLOCK ADDRESSED



CONCRETE CHEMICALS



PROTECT Plus PREMIUM

concrete fence
impregnant

Impregnant with a strong darkening and matte surface effect, used for surface protection of concrete fence blocks, prefabricated and driveways. The product is characterized by high resistance to abrasion and slipping.

PROPERTIES



INCREASES RESISTANCE
TO ATMOSPHERIC CONDITIONS



REFRESHES AND REVIVES
FENCE COLOUR



EXTENDS THE DURABILITY
OF THE FENCE



COLOURING PREMIUM

impregnation dedicated
to ROMA Horizon fences

Impregnant recommended for refreshing the existing color of a fence block or applying a completely new layer of color. It protects the seasoned surface of fence blocks. It has very good covering properties, high water vapor permeability. It is resistant to adverse weather conditions. Creates a matte and smooth layer resistant to abrasion and washing.

Recommended for vertical surfaces.

PROPERTIES



HIDES COLOUR DEFECTS,
STAINS, DISCOLORATION



REFRESHES AND REVIVES
FENCE COLOUR



PERMANENT COLORING
OF CONCRETE SURFACES

DOSTĘPNE KOLORY



graphite



white



1L

PAINT

paint for painting and renovating

Paint for painting and renovating concrete surfaces, of a very good resistance to atmospheric conditions and abrasiveness and great adhesion to concrete surfaces. It is based on modern raw materials that guarantee the highest quality. We recommend the paint for refreshing the colour of the caps that may fade away over time.

PROPERTIES



INCREASES RESISTANCE TO ATMOSPHERIC CONDITIONS



REFRESHES AND REVIVES FENCE COLOUR

COLOUR



cream



steel



light brown



dark brown



black



5L

PROTECT

concrete fence impregnant

Impregnant is used for concrete and stone surfaces. The preparation protects the elements from absorption of fouling and makes it more resistant to atmospheric conditions, it improves the look of the surface, enhances its colour and reduces abrasiveness. With limestone, sandstone or other natural stones it is recommended to make a test first.

PROPERTIES



INCREASES RESISTANCE TO ATMOSPHERIC CONDITIONS



REFRESHES AND REVIVES FENCE COLOUR



EXTENDS THE DURABILITY OF THE FENCE



5L

COLOURING

impregnation dedicated to ROMA Horizon fences

Coloring impregnation for concrete is an acrylic-silicone, water-soluble, protective, decorative impregnation for the surface of fencing blocks. Product dedicated to ROMA Horizon fences.

PROPERTIES



HIDES COLOUR DEFECTS, STAINS, DISCOLORATION



REFRESHES AND REVIVES FENCE COLOUR



PERMANENT COLORING OF CONCRETE SURFACES

COLOUR



graphite



white



5L

HYDROPHOBIC

impregnate for fences water-based

Impregnant has excellent protective properties. Used on concrete stone surfaces. Excellent hydrophobicity, increases resistance to dirt and weather conditions, improves the appearance of the Surface.

PROPERTIES



INCREASES RESISTANCE TO ATMOSPHERIC CONDITIONS



THE SURFACE DOES NOT CHANGE PRIMARY COLOR



EXTENDS THE DURABILITY OF THE FENCE



5L

MASTER

water-based impregnation
for fences

Impregnate designed to protect porous and absorbent mineral surfaces exposed to water and difficult climatic conditions. Effectively prevents the formation of efflorescence. It reduces the tendency to get dirty by creating a transparent, stain-resistant film with the effect of enhancing the color.

PROPERTIES



RESISTANT TO HIGH
AND LOW TEMPERATURES



CREATES A PROTECTIVE
MEMBRANE



REDUCES TENDENCE
TO STAINING



1L

PREPARATION

preparation for removal
of efflorescence

Professional preparation intended for effective removal of carbonate efflorescence – white stains and infiltration stains appearing on concrete products such as fence blocks, wall elevation, scarp elements and planters. Recommended for cleaning the surfaces before impregnation or painting.

PROPERTIES



EFFECTIVELY REMOVES
CALCIUM EFFLORESCENCE

600ML



SEALING GLUE IN THE FOIL

Sealing glue for fence
and stone blocks

Sealing glue for fence and stone blocks, precast elements. A binder for glueing and sealing fence and stone blocks as well as precast elements. Strong, one-component adhesive polyurethane glue/sealant. Very good adhesion to concrete brick, metal and many other substrates.

The product requires a specialist sealant squeezer.

PROPERTIES



RESISTANT
TO HIGH AND LOW
TEMPERATURES



ENSURES QUICK AND EASY
INSTALLATION FENCE BLOCKS



INCREASES RESISTANCE
TO ATMOSPHERIC CONDITIONS

300ML



SEALING GLUE IN CARTRIDGE

Sealing glue for fence
and stone blocks

Sealing glue for fence and stone blocks, precast elements. A binder for glueing and sealing fence and stone blocks as well as precast elements. Strong, one-component adhesive polyurethane glue/sealant. Very good adhesion to concrete brick, metal and many other substrates.

glue squeezer is available in our offer.

PROPERTIES



RESISTANT
TO HIGH AND LOW
TEMPERATURES



ENSURES QUICK AND EASY
INSTALLATION FENCE BLOCKS



INCREASES RESISTANCE
TO ATMOSPHERIC CONDITIONS



1L

LBN

plasticizer for concrete lbn

Plasticizer LBN is a preparation that we add to concrete mixture made on the site of construction. LBN gives the mixture plasticity which fills in concrete blocks of the fence accurately. Accurate filling the inside of the blocks is the guarantee that the concrete core will be durable and it will prevent the posts and foundations from cracking.

PROPERTIES



PREVENTS REDUCTION OF CONCRETE VOLUME



300ML

CHEMICAL ANCHOR

two-component mass resin for gluing

Chemical anchor combines metal with concrete. A chemical anchor is a two component resin mass that is used to anchor components. The adhesive-shaped connection with the highest strength parameters is due to high adhesion to the ground and enormous hardness. The elements can be anchored at different depths to obtain higher load capacity. It is characterized by a low odor and high resistance to chemicals.

The anchor extruder is available in our offer.

PROPERTIES



HIGH LOAD CAPACITY AND STRENGTH PARAMETERS



HIGH RESISTANCE FOR CHEMICALS







QUICK AND EASY ANCHORING OF ELEMENTS











FENCE ASSEMBLY MANUAL

Fence should be built in accordance with the building art and provisions of building regulations. Information included in hereby guidebook are general guidelines and recommendations. In the case of designed fences, priority must be given to the builder's recommendations and guidelines. Investor and contractor, who has to obtain proper qualifications and authorizations are responsible for the overall work.

1. Excavation for foundation
2. Foundation and reinforcement
3. Hydroisolation
4. Drainage system – flat terrain
5. Drainage system – sloping ground
6. Blocks arrangement and glueing
7. Pouring concrete into the blocks
8. Concrete care
9. Caps fitting
10. Sealing with the JONIEC binder
11. Impregnation
12. Front gate and wicket gate fitting
13. Protection from fouling





NOTES



F.P.U.H. JONIEC® p: + 48 18 332 53 90
Mieczysław Joniec m: + 48 602 539 182
34-650 Tymbark 109 e: joniec@joniec.pl



www.joniec.pl/en_en